

ABBREVIATIONS AND SYMBOLS

In this Schedule, the abbreviations and symbols listed hereunder shall have the meaning assigned opposite thereto —

<u>Abbreviation or symbol</u>	<u>Meaning</u>
AC	alternating current
ASTM	American Society for Testing Materials
Bq	becquerel
Bot.	bottle
°C	degree(s) Celsius
cc	cubic centimetre(s)
cg	centigram(s)
cm	centimetre(s)
cm ²	square centimetre(s)
cm ³	cubic centimetre(s)
cN	centinewton(s)
DC	direct current
g	gram(s)
Hz	hertz
IR	infra-red
kcal	kilocalorie(s)
kg	kilogram(s)
kgf	kilogram force
kN	kilonewton(s)
kPa	kilopascal(s)
kV	kilovolt(s)
kVA	kilovolt(s) - ampere(s)
kvar	kilovolt(s) - ampere(s) - reactive
kW	kilowatt(s)
l	litre(s)
m	metre(s)

<i>m-</i>	meta-
m ²	square metre (s)
μCi	microcurie
mm	millimetre
mN	millinewton(s)
MPa	megapascal(s)
N	newton(s)
No.	Number
<i>o-</i>	ortho
<i>p-</i>	para-
t	tonne(s)
UV	ultra-violet
V	volt(s)
vol.	volume
W	watt(s)
%	percent
x°	x degree(s)
g.v.w.	gross vehicle weight

Examples

1500 g/m² means one thousand five hundred grams per square metre
 15 °C means fifteen degrees Celsius
